



# PSN INSTITUTE OF TECHNOLOGY & SCIENCE

Melathediyoor, Tirunelveli – 627 152

[Approved by AICTE & Affiliated to Anna University, NCC 5(TN) Battalion]

## NAAC DVV CLARIFICATIONS

### Key Indicator: 4.4 Maintenance of Campus Infrastructure

METRIC NO.	PARTICULARS
4.4.1	Expenditure incurred on maintenance of infrastructure (physical facilities and academic support facilities) excluding salary component year wise during the last five years (INR in Lakhs)

#### HEI Input:

2022-2023	2021-2022	2020-2021	2019-2020	2018-2019
46.56	71.73	53.42	57.53	68.517

#### DVV suggested Input:

2022-2023	2021-2022	2020-2021	2019-2020	2018-2019
37.94	53.68	45.77	48.38	54.20

#### HEI Change in Input (Optional):

2022-2023	2021-2022	2020-2021	2019-2020	2018-2019
37.94	53.68	45.77	48.38	54.20

DVV CLARIFICATION	HEI RESPONSE
Value have been updated excluding the cost other than Maintenance and Repair cost.	HEI has accepted the DVV Suggested input.

### LIST OF DOCUMENT TO BE UPLOADED

S.NO	CONTENT	LINK
1	Excluding the cost other than Maintenance and Repair cost	<a href="#">VIEW</a>